

Registration Form

Acupuncture Formula Review Training Course

\$100.00

48 HOUR RUSH ORDER PROCESSING FEE ADDITIONAL \$40.00

Start and Finish Dates: _____ *You will have 90 days from this date in order to complete this course*

Name _____ Signature _____
(This will appear on your certificate as above)

Address: _____

City _____ State _____ Zip _____ Email _____

Phone:
Home () _____ Work () _____ Fax () _____

ID# _____ Expiration _____
Your certificate will be mailed to you in about two weeks.

Please circle which certification you are applying the course CEU's.

Acupuncturist California License

Acupuncturist National License NCCAOM

Other _____

**Therapeutic Learning College
P.O. Box 420, Payson, AZ 85547- 0420
(928) 468-0665 Fax (928) 272-0747
info@tlch2o.com**


Visit us on the web at WWW.ABCTLC.COM

3 digit code on back of card _____

American Express
Visa or MasterCard # _____ Exp. Date _____

If you've paid on the Internet, please write your Customer# _____

Referral's Name _____



When you are finished, please e-mail or fax TLC your answers and registration form. If you need this graded and a certificate mailed back to you with in 48-hours, prepare to pay an additional rush handling fee.



Thank you.

Alternative CEU Training Course Assignment

Excellent choice for Acupuncture or non-conventional or non-invasive medicine.

You have the choice of two assignments to receive your CEU credit. The conventional assignment can be found on the next page. The following instructions are for the alternative assignment.

You can submit a comprehensive meridian study or graph. Chinese students are encouraged to utilize the alternative assignment.

We would prefer that you submit your study or graph project in an electronic form which may be utilized as a reference in a future class.

You may also submit photojournalism as your assignment. We require the photographs to be in a digital format so that we may utilize the information in a future class.

You can submit the information to our e-mail address; info@tlch2o.com. Please include your registration page and payment.



**Easy for an Acupuncturist to complete this section.
You will not need to complete the conventional or English assignment if
you do the alternative assignment.**



Conventional Acupuncture Formula Review Assignment CEU Training Course Assignment

You will have 90 days to finish this course and submit the Answer Key and Registration Form to TLC. You can find the Answer Key in the rear of this section. Please e-mail or fax your Answer Key and Registration Form to TLC, Fax (928) 272-0747. You can find the Assignment on the Assignment Page on TLC's website and complete course assistance under the Assistance Page.

Multiple Choice Exam. Please select only one answer.

Example

Find the location: At the midpoint of the supraclavicular fossa, posterior to the clavicle, on the midclavicular line, 4 cun lateral to the anterior midline. Contraindication: Do not use if pregnancy is known or suspected.

- A. Guang Ming • GB37
- B. Ge Guan • BL46
- C. Yi Xi • BL45
- D. Yang Fu • GB38
- E. Que Pen • ST12

Answer is letter E for the above question.

Identify the Proper Location.

Answer Key in the rear of this section.

1. On the upper back, 3 cun lateral to the lower border of the spinous process of the sixth thoracic vertebra (T6), at the level of BL 16.
 - A. Guang Ming • GB37
 - B. Ge Guan • BL46
 - C. Yi Xi • BL45
 - D. Yang Fu • GB38
 - E. Qi She • ST11

2. On the medial surface of the foot, in the depression inferior to the lower border of the tuberosity of the navicular bone.
 - A. Tai Xi • KI3
 - B. Ran Gu • KI2
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47

3. On the medial ankle, at the midpoint between the prominence of the medial malleolus and Achilles' Tendon.
 - A. Tai Xi • KI3
 - B. Ran Gu • KI2
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47

Please use the Answer Key located in the rear of this section.

4. On the medial ankle, posterior and inferior to the medial malleolus, in the depression anterior to the medial side of the attachment of Achilles' tendon.
- A. Tai Xi • KI3
 - B. Ran Gu • KI2
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47
5. On the middle back, 3 cun lateral to the lower border of the spinous process of the seventh thoracic vertebra (T7), at the level of BL 17.
- A. Guang Ming • GB37
 - B. Ge Guan • BL46
 - C. Yi Xi • BL45
 - D. Yang Fu • GB38
 - E. Qi She • ST11
6. At the root of the neck, at the superior border of the sternal end of the clavicle, between the sternal and clavicular heads of sternocleidomastoid muscle.
- A. Guang Ming • GB37
 - B. Ge Guan • BL46
 - C. Yi Xi • BL45
 - D. Yang Fu • GB38
 - E. Qi She • ST11
7. In the infraclavicular fossa, on the midclavicular line, 4 cun lateral to the anterior midline.
- A. Qi Hu • ST13
 - B. Ku Fang • ST14
 - C. Yin Ling Quan • SP9
 - D. Xue Hai • SP10
 - E. Wu Yi • ST15
8. On the chest, on the midclavicular line, in the first intercostal space, 4 cun lateral to the anterior midline.
- A. Qi Hu • ST13
 - B. Ku Fang • ST14
 - C. Yin Ling Quan • SP9
 - D. Xue Hai • SP10
9. On the lateral side of the leg, 5 cun superior to the prominence of the lateral malleolus.
- A. Guang Ming • GB37
 - B. Ge Guan • BL46
 - C. Yi Xi • BL45
 - D. Yang Fu • GB38
 - E. Qi She • ST11

Please use the Answer Key located in the rear of this section.

10. On the lateral side of the leg, 4 cun superior to the prominence of the lateral malleolus.
- A. Guang Ming • GB37
 - B. Ge Guan • BL46
 - C. Yi Xi • BL45
 - D. Yang Fu • GB38
 - E. Qi She • ST11
11. On the lateral side of the leg, 3 cun superior to the prominence of the lateral malleolus.
- A. Yao Shu • GV2
 - B. Zu Lin Qi • GB41
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
12. At the lateral ankle, In the depression anterior and inferior to the lateral malleolus.
- A. Yao Shu • GV2
 - B. Zu Lin Qi • GB41
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
13. On the dorsum of the foot, in the depression between the fourth and fifth metatarsals.
- A. Yao Shu • GV2
 - B. Zu Lin Qi • GB41
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
14. On the posterior midline at the sacral hiatus.
- A. Yao Shu • GV2
 - B. Zu Lin Qi • GB41
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
15. On the medial leg, on the inferior border of the medial condyle of the tibia, in the depression between the posterior border of the tibia and gastrocnemius muscle.
- A. Qi Hu • ST13
 - B. Ku Fang • ST14
 - C. Yin Ling Quan • SP9
 - D. Xue Hai • SP10
 - E. Wu Yi • ST15

16. On the medial thigh, with the knee in flexion, 2 cun superior to the superomedial angle of the patella, on vastus medialis muscle.
- A. Qi Hu • ST13
 - B. Ku Fang • ST14
 - C. Yin Ling Quan • SP9
 - D. Xue Hai • SP10
 - E. Wu Yi • ST15
17. On the chest, on the midclavicular line, in the second intercostal space, 4 cun lateral to the anterior midline.
- A. Qi Hu • ST13
 - B. Ku Fang • ST14
 - C. Yin Ling Quan • SP9
 - D. Xue Hai • SP10
 - E. Wu Yi • ST15
18. On the transverse wrist crease, in the small depression between the pisiform and ulna bones.
- A. Yao Shu • GV2
 - B. Zu Lin Qi • GB41
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
19. On the palmar surface of the hand, between the fourth and fifth metacarpal bones. When a tight fist is made, HE 8 is where the fifth digit rests.
- A. Yao Shu • GV2
 - B. Shao Fu • HE8
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
20. On the radial side of the fifth digit, 0.1 cun from the corner of the nail bed. Caution Reserve HE 9 for Unconsciousness or Shock.
- A. Yao Shu • GV2
 - B. Shao Chong • HE9
 - C. Qiu Xu • GB40
 - D. Xuan Zhong • GB39
 - E. Shen Men • HE7
21. On the lateral side of the fourth toe, 0.1 cun from the nail bed.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Zu Qiao Yin • GB44
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34

22. Midway between the anus and the tip of the coccyx.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Luo Que • BL8
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
23. On the middle back, 3 cun lateral to the lower border of the spinous process of the ninth thoracic vertebra (T9), at the level of BL 18.
- A. Tai Xi • KI3
 - B. Ran Gu • KI2
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47
24. On the face, 0.1 cun superior to the inner canthus when the eye is closed.
- A. Tai Xi • KI3
 - B. Jing Ming • BL1
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47
25. On the dorsum of the foot, in a depression proximal to the heads of the fourth and fifth metatarsal bones.
- A. Jia Xi • GB43
 - B. Di Wu Hui • GB42
 - C. Da Chang Shu • BL25
 - D. Guan Yuan Shu • BL26
 - E. Xiao Chang Shu • BL27
26. On the dorsum of the foot, distal to the fourth and fifth metatarsophalangeal joints, 0.5 cun proximal to the web margin.
- A. Jia Xi • GB43
 - B. Di Wu Hui • GB42
 - C. Da Chang Shu • BL25
 - D. Guan Yuan Shu • BL26
 - E. Xiao Chang Shu • BL27
27. On the lower back, 1.5 cun lateral to the lower border of the spinous process of the fourth lumbar vertebra (L4).
- A. Jia Xi • GB43
 - B. Di Wu Hui • GB42
 - C. Da Chang Shu • BL25
 - D. Guan Yuan Shu • BL26
 - E. Xiao Chang Shu • BL27

28. On the lower back, 1.5 cun lateral to the lower border of the spinous process of the fifth lumbar vertebra (L5).

- A. Jia Xi • GB43
- B. Di Wu Hui • GB42
- C. Da Chang Shu • BL25
- D. Guan Yuan Shu • BL26
- E. Xiao Chang Shu • BL27

29. In the sacral region, 1.5 cun lateral to the posterior midline, at the level of the first posterior sacral foramen.

- A. Jia Xi • GB43
- B. Di Wu Hui • GB42
- C. Da Chang Shu • BL25
- D. Guan Yuan Shu • BL26
- E. Xiao Chang Shu • BL27

30. At the center of the nipple. Contraindication: DO NOT NEEDLE OR MOXA - ST 17 SERVES AS A LANDMARK ONLY!

- A. Jia Xi • GB43
- B. Di Wu Hui • GB42
- C. Da Chang Shu • BL25
- D. Ru Zhong • ST17
- E. Xiao Chang Shu • BL27

31. On the chest, on the midclavicular line, in the fifth intercostal space, 4 cun lateral to the anterior midline.

- A. Zhong Lu Shu • BL29
- B. Ru Gen • ST18
- C. Bu Rong • ST19
- D. Cheng Man • ST20
- E. Pang Guang Shu • BL28

32. In the sacral region, 1.5 cun lateral to the posterior midline, at the level of the second posterior sacral foramen.

- A. Zhong Lu Shu • BL29
- B. Ru Gen • ST18
- C. Bu Rong • ST19
- D. Cheng Man • ST20
- E. Pang Guang Shu • BL28

33. In the sacral region, 1.5 cun lateral to the posterior midline, at the level of the third posterior sacral foramen.

- A. Zhong Lu Shu • BL29
- B. Ru Gen • ST18
- C. Bu Rong • ST19
- D. Cheng Man • ST20
- E. Pang Guang Shu • BL28

34. In the sacral region, 1.5 cun lateral to the posterior midline, at the level of the fourth posterior sacral foramen.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Shang Liao • BL31
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34
35. In the sacral region, in the first posterior sacral foramen.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Shang Liao • BL31
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34
36. On the upper abdomen, 2 cun lateral to the anterior midline and 6 cun superior to the umbilicus, at the level of CV 14.
- A. Zhong Lu Shu • BL29
 - B. Ru Gen • ST18
 - C. Bu Rong • ST19
 - D. Cheng Man • ST20
 - E. Pang Guang Shu • BL28
37. On the abdomen, 2 cun lateral to the anterior midline and 5 cun superior to the umbilicus, at the level of CV 13.
- A. Zhong Lu Shu • BL29
 - B. Ru Gen • ST18
 - C. Bu Rong • ST19
 - D. Cheng Man • ST20
 - E. Pang Guang Shu • BL28
38. In the sacral region, in the second posterior sacral foramen.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Shang Liao • BL31
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34
39. In the sacral region, in the third posterior sacral foramen.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Shang Liao • BL31
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34
40. In the sacral region, in the fourth posterior sacral foramen.
- A. Bai Huan Shu • BL30
 - B. Ci Liao • BL32
 - C. Shang Liao • BL31
 - D. Zhong Liao • BL33
 - E. Xia Liao • BL34

41. On the head, 4 cun posterior to anterior hairline, 1.5 cun lateral to the midline.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Luo Que • BL8
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
42. On the head, 5.5 cun posterior to anterior hairline, 1.5 cun lateral to the midline.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Luo Que • BL8
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
43. In the occipital region, in a depression 1.5 cun lateral to the superior aspect of the external occipital protuberance.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Luo Que • BL8
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
44. In the nuchal region, on the lateral border of the trapezius muscle, 1.3 cun lateral to GV 15 at the level between cervical vertebrae C1 and C2.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Luo Que • BL8
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
45. On the face, at the medial end of the eyebrow, on the supraorbital notch.
- A. Chang Qiang • GV1
 - B. Tian Zhu • BL10
 - C. Zan Zhu • BL2
 - D. Tong Tian • BL7
 - E. Yu Zhen • BL9
46. On the upper back, 1.5 cun lateral to the lower border of the spinous process of the second thoracic vertebra (T2).
- A. Feng Men • BL12
 - B. Wei Cang • BL50
 - C. Fei Shu • BL13
 - D. Wei Cang • BL50
 - E. Jue Yin Shu • BL14
47. On the upper back, 1.5 cun lateral to the lower border of the spinous process of the third thoracic vertebra (T3).
- A. Feng Men • BL12
 - B. Wei Cang • BL50
 - C. Fei Shu • BL13
 - D. Wei Cang • BL50

48. In the frontal region of the head, 0.5 cun within the anterior hairline and 0.5 cun lateral to GV 24 at the midline.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Mei Chong • BL3
 - E. Yang Gang • BL48
49. In the frontal region of the head, 0.5 cun within the anterior hairline, 1.5 cun lateral to GV 24 at the midline.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Mei Chong • BL3
 - E. Yang Gang • BL48
50. On the head, 1 cun posterior to anterior hairline, 1.5 cun lateral to GV 23 at the midline.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Mei Chong • BL3
 - E. Yang Gang • BL48
51. On the head, 2.5 cun posterior to anterior hairline, 1.5 cun lateral to the midline.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Mei Chong • BL3
 - E. Yang Gang • BL48
52. On the middle back, 3 cun lateral to the lower border of the spinous process of the tenth thoracic vertebra (T10), at the level of BL 19.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Mei Chong • BL3
 - E. Yang Gang • BL48
53. On the middle back, 3 cun lateral to the lower border of the spinous process of the eleventh thoracic vertebra (T11), at the level of BL 20.
- A. Cheng Guang • BL6
 - B. Wu Chu • BL5
 - C. Qu Chai • BL4
 - D. Yi She • BL49
 - E. Yang Gang • BL48

54. On the middle back, 3 cun lateral to the lower border of the spinous process of the twelfth thoracic vertebra (T12), at the level of BL 21.

- A. Feng Men • BL12
- B. Wei Cang • BL50
- C. Fei Shu • BL13
- D. Wei Cang • BL50
- E. Jue Yin Shu • BL14

55. Pericardium Shu. Back Shu of the Pericardium that connects with Front Mu CV17. On the upper back, 1.5 cun lateral to the lower border of the spinous process of the fourth thoracic vertebra (T4).

- A. Feng Men • BL12
- B. Wei Cang • BL50
- C. Fei Shu • BL13
- D. Wei Cang • BL50
- E. Jue Yin Shu • BL14

56. On the sole of the foot, between the second and third metatarsal bones, one-third the distance from the webs of the toes to the heel.

- A. Yao Shu • GV2
- B. Yong Quan • KI1
- C. Qiu Xu • GB40
- D. Xuan Zhong • GB39
- E. Shen Men • HE7

57. In the epigastric region, on the anterior midline, 2 cun inferior to the xiphoid process and 6 cun superior to the umbilicus.

- A. Ju Que
- B. Shan Zhong
- C. Shan Guan
- D. Jiu Wei
- E. Zhong Ting

58. In the epigastric region, on the anterior midline, 1 cun inferior to the xiphoid process and 7 cun superior to the umbilicus.

- A. Ju Que
- B. Shan Zhong
- C. Shan Guan
- D. Jiu Wei
- E. Zhong Ting

59. In the epigastric region, on the anterior midline, on the xiphoid process.

- A. Ju Que
- B. Shan Zhong
- C. Shan Guan
- D. Jiu Wei
- E. Zhong Ting

60. On the sternal midline, level with the fourth intercostal space, between the nipples.
- A. Ju Que
 - B. Shan Zhong
 - C. Shan Guan
 - D. Jiu Wei
61. On the medial ankle, 1 cun below KI 3, in the depression anterior and superior to the medial side of the tuberosity of the calcaneus.
- A. Tai Xi • KI3
 - B. Ran Gu • KI2
 - C. Da Zhong • KI4
 - D. Shui quan • KI5
 - E. Hun Men • BL47
62. On the upper back, 1.5 cun lateral to the lower border of the spinous process of the fifth thoracic vertebra (T5).
- A. Feng Men • BL12
 - B. Xin Shu • BL15
 - C. Fei Shu • BL13
 - D. Wei Cang • BL50
63. On the upper back, 1.5 cun lateral to the lower border of the spinous process of the sixth thoracic vertebra (T6).
- A. Feng Men • BL12
 - B. Wei Cang • BL50
 - C. Du Shu • BL16
 - D. Wei Cang • BL50
 - E. Jue Yin Shu • BL14
64. On the middle back, 1.5 cun lateral to the lower border of the spinous process of the seventh thoracic vertebra (T7).
- A. Dan Shu
 - B. Wei Shu
 - C. Pi Shu
 - D. Ge Shu
 - E. Gan Shu
65. On the middle back, 1.5 cun lateral to the lower border of the spinous process of the ninth thoracic vertebra (T9).
- A. Dan Shu
 - B. Wei Shu
 - C. Pi Shu
 - D. Ge Shu
 - E. Gan Shu
66. On the middle back, 1.5 cun lateral to the lower border of the spinous process of the tenth thoracic vertebra (T10).
- A. Dan Shu
 - B. Wei Shu
 - C. Pi Shu
 - D. Ge Shu

67. On the middle back, 1.5 cun lateral to the lower border of the spinous process of the eleventh thoracic vertebra (T11).

- A. Dan Shu
- B. Wei Shu
- C. Pi Shu
- D. Ge Shu
- E. Gan Shu

68. On the middle back, 1.5 cun lateral to the lower border of the spinous process of the twelfth thoracic vertebra (T12).

- A. Dan Shu
- B. Wei Shu
- C. Pi Shu
- D. Ge Shu
- E. Gan Shu

69. On the posterior leg, 2 cun inferior to BL 40 at the popliteal crease, between the medial and lateral heads of the gastrocnemius muscle.

- A. Cheng Jin
- B. Hey Yn
- C. Cheng Shan
- D. Fei Yang
- E. Fu Yang

70. On the posterior leg, 5 cun inferior to BL 40, in the center of the gastrocnemius muscle.

- A. Cheng Jin
- B. Hey Yn
- C. Cheng Shan
- D. Fei Yang
- E. Fu Yang

71. On the posterior leg, 8 cun inferior to BL 40, along the line connecting BL 40 at the popliteal crease and BL 60 posterior to the lateral malleolus.

- A. Cheng Jin
- B. Hey Yn
- C. Cheng Shan
- D. Fei Yang
- E. Fu Yang

72. On the posterior leg, 7 cun superior to BL 60 posterior to the lateral malleolus, and 1 cun inferior to BL 57, 8 cun inferior to BL 40 at the popliteal crease.

- A. Cheng Jin
- B. Hey Yn
- C. Cheng Shan
- D. Fei Yang
- E. Fu Yang

73. On the posterior surface of the leg, 3 cun superior to BL 60 posterior to the lateral malleolus.

- A. Cheng Jin
- B. Hey Yn
- C. Cheng Shan
- D. Fei Yang
- E. Fu Yang

74. Jing River Point on the Bladder Channel. Fire Point on Water Meridian. On the lateral ankle, in the depression midway between the external malleolus and the tendon calcaneus. Contraindication: Do Not Needle If Pregnancy is known or suspected

- A. Shen Mai
- B. Kun Lun
- C. Pu Can
- D. Shen Mai
- E. Jin Men

75. On the lateral foot, in a depression on the lateral calcaneus, 1.5 cun inferior and posterior to the lateral malleolus, directly below BL60 which is posterior to the lateral malleolus.

- A. Shen Mai
- B. Kun Lun
- C. Pu Can
- D. Shen Mai
- E. Jin Men

76. On the lateral foot, in the depression directly inferior to the lateral malleolus, at the dorsal-plantar skin junction.

- A. Shen Mai
- B. Kun Lun
- C. Pu Can
- D. Shen Mai
- E. Jin Men

77. On the lateral foot, in the depression posterior to the fifth metatarsal bone and lateral to the cuboid bone.

- A. Shen Mai
- B. Kun Lun
- C. Pu Can
- D. Shen Mai
- E. Jin Men

78. On the lateral foot, in the depression anterior and inferior to the tuberosity of the fifth metatarsal bone.

- A. Hui Yin
- B. Shu Gu
- C. Jing Gu
- D. Zhi Yin
- E. Tong Gu

79. On the lateral foot, in the depression posterior and inferior to the fifth metatarsophalangeal joint.

- A. Hui Yin
- B. Shu Gu
- C. Jing Gu
- D. Zhi Yin
- E. Tong Gu

80. On the lateral foot, in the depression anterior and inferior to the fifth metatarsophalangeal joint.

- A. Hui Yin
- B. Shu Gu
- C. Jing Gu
- D. Zhi Yin
- E. Tong Gu

81. On the lateral foot, at the lateral fifth digit, 0.1 cun from the corner of the nailbed. Contraindication: Do Not Needle If Pregnancy is known or suspected.

- A. Hui Yin
- B. Shu Gu
- C. Jing Gu
- D. Zhi Yin
- E. Tong Gu

82. In the perineal region, at the midpoint between the anus and the posterior border of the scrotum in males and the posterior labial commissure in females. Contraindication: Do Not Needle If Pregnancy is known or suspected.

- A. Hui Yin
- B. Shu Gu
- C. Jing Gu
- D. Zhi Yin
- E. Tong Gu

83. In the pubic region, on the anterior midline, at the superior border of the symphysis pubis.

- A. Hui Yin
- B. Shu Gu
- C. Qu Gu
- D. Zhi Yin
- E. Tong Gu

84. In the pubic region, on the anterior midline, 1 cun superior to the upper border of the symphysis pubis.

- A. Zhong Ji
- B. Qi Hai
- C. Guan Yuan
- D. Shi Men

85. In the pubic region, on the anterior midline, 2 cun superior to the upper border of the symphysis pubis.
- A. Zhong Ji
 - B. Qi Hai
 - C. Guan Yuan
 - D. Shi Men
 - E. Yin Jiao
86. On the lower abdomen, on the anterior midline, 2 cun inferior to the umbilicus.
- A. Zhong Ji
 - B. Qi Hai
 - C. Guan Yuan
 - D. Shi Men
87. On the lower abdomen, on the anterior midline, 1.5 cun inferior to the umbilicus.
- A. Zhong Ji
 - B. Qi Hai
 - C. Guan Yuan
 - D. Shi Men
 - E. Yin Jiao
88. In the umbilical region, on the anterior midline, 1 cun inferior to the umbilicus.
- A. Zhong Ji
 - B. Qi Hai
 - C. Guan Yuan
 - D. Shi Men
 - E. Yin Jiao
89. At the umbilicus.
- A. Shui Fen
 - B. Jian Li
 - C. Shen Que
 - D. Xia Guan
 - E. Zhon Guan
90. In the umbilical region, on the anterior midline, 1 cun superior to the umbilicus.
- A. Shui Fen
 - B. Jian Li
 - C. Shen Que
 - D. Xia Guan
 - E. Zhon Guan
91. In the umbilical region, on the anterior midline, 2 cun superior to the umbilicus.
- A. Shui Fen
 - B. Jian Li
 - C. Shen Que
 - D. Xia Guan
 - E. Zhon Guan

92. In the upper umbilical region, on the anterior midline, 3 cun superior to the umbilicus.

- A. Shui Fen
- B. Jian Li
- C. Shen Que
- D. Xia Guan
- E. Zhon Guan

93. In the upper umbilical region, on the anterior midline, 4 cun superior to the umbilicus.

- A. Shui Fen
- B. Jian Li
- C. Shen Que
- D. Xia Guan
- E. Zhon Guan

94. In the upper umbilical region, on the anterior midline, 5 cun superior to the umbilicus.

- A. Ju Que
- B. Shan Zhong
- C. Shan Guan
- D. Jiu Wei
- E. Zhong Ting

You are given a medical problem that needs to be solved by choosing the correct acupuncture point. This project will get progressively difficult as you work towards the finish.

95. Abdominal Fullness: Arrhythmia: Circulation Problems

- A. BL64 / Jing Gu
- B. HE1/Ji Quan
- C. PC6/Nei Guan
- D. HE7 / Shen Men
- E. KI26 / Yu Zhong

96. Anxiety: Arrhythmia: Circulation Problems

- A. BL64 / Jing Gu
- B. HE1/Ji Quan
- C. PC6/Nei Guan
- D. HE7 / Shen Men
- E. KI26 / Yu Zhong

97. Dream Disturbed Sleep: Arrhythmia: Circulation Problems

- A. BL64 / Jing Gu
- B. HE1/Ji Quan
- C. PC6/Nei Guan
- D. HE7 / Shen Men
- E. KI26 / Yu Zhong

98. Eye Disorders: Arrhythmia: Circulation Problems
A. BL64 / Jing Gu
B. HE1/Ji Quan
C. PC6/Nei Guan
D. HE7 / Shen Men
E. KI26 / Yu Zhong
99. Nausea: Arrhythmia: Circulation Problems
A. BL64 / Jing Gu
B. HE1/Ji Quan
C. PC6/Nei Guan
D. HE7 / Shen Men
E. KI26 / Yu Zhong
100. Posterior Shoulder Pain: Arrhythmia: Circulation Problems
A. ST40
B. PC6
C. LR2
D. HE9
E. PC2
101. Pounding Of The Heart: Arrhythmia: Circulation Problems
A. ST40
B. PC6
C. LR2
D. HE9
E. PC2
102. Agitation: Blood Pressure: Circulation Problems
A. ST40
B. PC6
C. LR2
D. HE9
E. PC2
103. Arm Contraction: Arrhythmia: Circulation Problems
A. ST40
B. PC6
C. LR2
D. HE9
E. PC2
104. Anal Prolapse: Blood Pressure: Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB20

105. Back Pain: Blood Pressure: Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB20
106. Bitter Taste: Blood Pressure: Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB34
107. Amenorrhea: Blood Pressure: Circulation Problems
A. ST40
B. PC6
C. LR2
D. HE9
E. PC2
108. Ankle Conditions, Arrhythmia, Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB20
109. Cardiac Arrhythmia: Arrhythmia: Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB20
110. Cough: Arrhythmia: Circulation Problems
A. HE5
B. BL15/Xin Shu, HE5/Tong Li
C. GV20
D. BL62
E. GB20
111. Cardiac Pain: Blood Pressure: Circulation Problems
A. LU7 / Lie Que, ST9 / Ren Ying
B. Lao Gong
C. Yong Quan
D. Jia Xi
E. None of the Above

112. Chest Pain: Blood Pressure: Circulation Problems

- A. LU7 / Lie Que, ST9 / Ren Ying
- B. Lao Gong
- C. Yong Quan
- D. Jia Xi
- E. None of the Above

113. Constipation: Blood Pressure: Circulation Problems

- A. LU7 / Lie Que, ST9 / Ren Ying
- B. Lao Gong
- C. Yong Quan
- D. Jia Xi
- E. None of the Above

114. Cough: Blood Pressure: Circulation Problems

- A. LU7 / Lie Que, ST9 / Ren Ying
- B. Lao Gong
- C. Yong Quan
- D. Jia Xi
- E. None of the Above

115. Deafness: Blood Pressure: Circulation Problems

- A. LU10 / Yu Ji, SI19 / Ting Gong
- B. Su Liao
- C. Bai Hui
- D. Lao Gong
- E. Jian Yu

116. Below Heart Distention And Fullness: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

117. Breast Swelling: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

118. Hypotension: Blood Pressure: Circulation Problems

- A. LU10 / Yu Ji, SI19 / Ting Gong
- B. Su Liao
- C. Bai Hui
- D. Lao Gong
- E. Jian Yu

119. Anger: Blood Pressure: Circulation Problems

- A. LU10 / Yu Ji, SI19 / Ting Gong
- B. Su Liao
- C. Bai Hui
- D. Lao Gong
- E. Jian Yu

120. Arm Pain: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

121. Cardiac Arrhythmia: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

122. Arm Motor Impairment: Blood Pressure: Circulation Problems

- A. LU10 / Yu Ji, SI19 / Ting Gong
- B. Su Liao
- C. Bai Hui
- D. Lao Gong
- E. Jian Yu

123. Abdominal Pain: Chest: Circulation

- A. LU10 . Yu Ji, SI19 . Ting Gong
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

124. Cough: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. LU11 . Shao Shang
- D. Shou Wu Li
- E. Nei Guan

125. Dizziness: Chest : Circulation

- A. ST36
- B. LU11
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

126. Finger Pain: Chest: Circulation

- A. ST36
- B. LU11
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

127. Axillary Edema: Edema: Circulation

- A. BL19
- B. PC5
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

128. Allergies: Edema: Circulation

- A. ST36
- B. LU11
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

129. Amenorrhea: Edema: Circulation

- A. ST36
- B. LU11
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

130. Anger: Edema: Circulation

- A. ST36
- B. LU11
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

131. Breast Pain: Edema: Circulation

- A. BL19
- B. PC5
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

132. Cardiac Conditions: Edema: Circulation

- A. BL19
- B. PC6
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

133. Coma: Edema: Circulation

- A. Zhao Hai
- B. GV28
- C. Da Ling
- D. GB34
- E. Shui Gou

134. Dysuria: Syncope: Circulation

- A. Shui Gou
- B. Da Dun
- C. Tong Tian, Zhong Chong
- D. Shao Shang
- E. Shao Chong

135. Amenorrhea: Chest: Circulation

- A. LU5 / Chi Ze, SI8 / Xiao Hai
- B. San Yin Jiao
- C. SI1 / Shao Ze
- D. Shou Wu Li
- E. Nei Guan

136. Cardiac Pain: Edema: Circulation

- A. Zhao Hai
- B. GV26 Shui Gou
- C. Da Ling
- D. GB34
- E. GB41

137. Chest Discomfort: Edema: Circulation

- A. Zhao Hai
- B. GV26
- C. Da Ling
- D. GB34
- E. Shui Gou

138. Chest Pain: Edema: Circulation

- A. Zhao Hai
- B. GV26
- C. Da Ling
- D. GB34
- E. Shui Gou

139. Axillary Swelling: Edema: Circulation

- A. BL19
- B. PC5
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

140. Borborygmus: Edema: Circulation

- A. BL19
- B. PC5
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

141. Aphasia: Edema: Circulation

- A. ST36
- B. ST4
- C. BL3 / Mei Chong, BL4 / Qu Chai
- D. LI4
- E. LR2

142. Apprehension: Edema: Circulation

- A. BL19
- B. PC5
- C. GB22
- D. GB41
- E. KI7 / Fu Liu, SP6 / San Yin Jiao

143. Edema: Syncope: Circulation

- A. Shui Gou
- B. Da Dun
- C. Tong Tian, Zhong Chong
- D. Shao Shang
- E. Shao Chong

144. Headache: Syncope: Circulation

- A. Shui Gou
- B. Da Dun
- C. Tong Tian, Zhong Chong
- D. Shao Shang
- E. Shao Chong

145. Constipation: Edema: Circulation

- A. Zhao Hai
- B. GV26
- C. Da Ling
- D. GB34
- E. Shui Gou

146. Diarrhea: Edema: Circulation

- A. Zhao Hai
- B. GV26
- C. Da Ling
- D. Fu Liu
- E. Shui Gou

147. Dysuria: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Jie Xi
- E. Da Ying

148. Eye Deviation: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Jie Xi
- E. Da Ying

149. Facial And Head Edema: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Jie Xi
- E. Da Ying

150. Facial And Lower Cheek Edema: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Jie Xi
- E. Da Ying

151. Facial Edema: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Jie Xi
- E. Da Ying

152. Fever: Edema: Circulation

- A. Lie Que
- B. Zhi Shi
- C. Jia Che
- D. Qian Gu
- E. Da Ying

153. Uterine Prolapse: Edema: Circulation

- A. Zhon Guan
- B. Cheng Fu
- C. Shen Que
- D. Zhong Ji
- E. Pi Shu

154. Appetite Absent: Hemorrhage: Circulation

- A. Zhon Guan
- B. Cheng Fu
- C. Shen Que
- D. Zhong Ji
- E. Pi Shu

155. Abdominal Distention: Syncope: Circulation

- A. Zhon Guan
- B. Cheng Fu
- C. Shen Que
- D. Zhong Ji
- E. Pi Shu

156. Amenorrhea: Syncope: Circulation

- A. Zhon Guan
- B. Cheng Fu
- C. Shen Que
- D. Zhong Ji
- E. Pi Shu

157. Anal Prolapse: Syncope: Circulation

- A. Zhon Guan
- B. Cheng Fu
- C. Shen Que
- D. Zhong Ji
- E. Pi Shu

158. Chest Discomfort: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Zan Zhu

159. Common Cold: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Zan Zhu
- E. Ju Que

160. Deafness: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Ya Men, Shang Yang

161. Asthma: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Ju Que

162. Bitter Taste: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Ju Que

163. Cardiac Pain: Syncope: Circulation

- A. Ju Que
- B. Lao Gong
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Ju Que

164. Diarrhea: Syncope: Circulation

- A. Ju Que
- B. Yin Bai
- C. Shan Zhong, Zu San Li
- D. Xing Jian
- E. Ju Que

165. Loss Of Consciousness: Syncope: Circulation

- A. Shui Gou
- B. Da Dun
- C. Tong Tian, Zhong Chong
- D. Shao Shang
- E. Shao Chong

166. Syncope: Syncope: Circulation

- A. Shui Gou
- B. Da Dun
- C. Tong Tian, Zhong Chong
- D. Shao Shang
- E. Shao Chong

167. Abdominal Pain: TCM: Circulation

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. Tai Chong

168. Bone Disorders: TCM: Circulation

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. Tai Chong

169. Breast Pain: Abdominal: Digestion

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. Tai Chong

170. Breast Swelling: Abdominal: Digestion

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. Tai Chong

171. Childbirth Disorders: TCM: Circulation

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. Tai Chong

172. Abdominal Fullness: Abdominal: Digestion

- A. Xuan Zhong
- B. Zhang Men
- C. Gan Shu
- D. Yang Ling Quan
- E. Fu Liu

173. Edema: Abdominal: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

174. Facial Edema: Abdominal: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

175. Thigh Lateral Distention: Abdominal: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

176. Abdominal Masses: Abdominal: Digestion

- A. Xuan Zhong
- B. Zhang Men
- C. Gan Shu
- D. Yang Ling Quan
- E. Fu Liu

177. Constipation: Abdominal: Digestion

- A. Xuan Zhong
- B. Zhang Men
- C. Gan Shu
- D. Yang Ling Quan
- E. Fu Liu

178. Dizziness: Abdominal: Digestion

- A. Xuan Zhong
- B. Zhang Men
- C. Si Bai
- D. Yang Ling Quan
- E. Fu Liu

179. Depression: TCM: Circulation

- A. Qi Men
- B. Fu Ai, Qi Chong
- C. Shen Shu
- D. Qi Chong
- E. None of the Above

180. Dry Tongue: TCM: Circulation

- A. Xuan Zhong
- B. Zhang Men
- C. Gan Shu
- D. Yang Ling Quan
- E. Fu Liu

181. Abdominal Masses: TCM: Circulation

- A. Shan Guan, Zhang Men
- B. Zhang Men
- C. Gan Shu
- D. Yang Ling Quan
- E. Fu Liu

182. Tibial Bone Pain: Abdominal: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

183. Anuria: Abdominal Distention: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

184. Anxiety: Abdominal Distention: Digestion

- A. Fu Xi
- B. Zhi Shi
- C. Ying Xiang
- D. Wei Yang
- E. None of the Above

185. Appetite Absent: Abdominal Distention: Digestion

- A. KI3, LU1
- B. ST25
- C. ST22
- D. ST28
- E. BL22, CV5

186. Abdominal Distention And Fullness: Abdominal Distention: Digestion

- A. KI3, LU1
- B. ST25
- C. ST22
- D. ST28
- E. BL22, CV5

187. Body Heaviness: Abdominal Distention: Digestion

- A. SP1
- B. SP3
- C. SP6
- D. SP9
- E. All of the Above

188. Diarrhea: Abdominal Distention: Digestion

- A. SP1
- B. SP3
- C. SP6
- D. SP9
- E. All of the Above

189. Dream Disturbed Sleep: Abdominal Distention: Digestion

- A. SP1
- B. SP3
- C. SP6
- D. SP9
- E. All of the Above

190. Abdominal Fullness: Abdominal Distention: Digestion

- A. KI3, LU1
- B. ST25
- C. ST22
- D. ST28
- E. BL22, CV5

191. Ascites: Abdominal Distention: Digestion

- A. KI3, LU1
- B. ST25
- C. ST22
- D. ST28
- E. BL22, CV5

192. Asthma: Abdominal Distention: Digestion

- A. KI3, LU1
- B. ST25
- C. ST22
- D. ST28
- E. BL22, CV5

193. Beriberi: Abdominal Distention: Digestion

- A. SP1
- B. SP3
- C. SP6
- D. SP9
- E. All of the Above

194. Abdominal Discomfort: Abdominal Distention: Digestion

- A. BL45
- B. BL20
- C. BL33, CV12, LR2
- D. LU5
- E. BL20

195. Allergies: Abdominal Distention: Digestion

- A. BL45
- B. BL20
- C. BL33, CV12, LR2
- D. LU5
- E. LI11

196. Back Pain: Abdominal Distention: Digestion

- A. BL45
- B. BL20
- C. BL33, CV12, LR2
- D. LU5
- E. BL20

197. Chest Discomfort: Abdominal Distention: Digestion

- A. BL45
- B. BL20
- C. BL33, CV12, LR2
- D. LU5
- E. BL20

198. Constipation: Abdominal Distention: Digestion

- A. BL45
- B. BL20
- C. BL33, CV12, LR2
- D. LU5
- E. BL20

199. Cough: Abdominal Distention: Digestion

- A. LR1, ST30
- B. CV14
- C. TB10
- D. LR5
- E. None of the Above

200. Dysmenorrhea: Abdominal Distention: Digestion

- A. LR1, ST30
- B. CV14
- C. TB10
- D. LR5
- E. None of the Above

You are finished with your assignment. Thank you for your business. Please fax or e-mail the Answer Key and Registration Page to us. Fax (928) 272-0747



Rusty, TLC's official mascot - Chinese Shih Tzu.

Formula Answer Key

Name

Address

Telephone

1. ABCDE	51. ABCDE	101. ABCDE	151. ABCDE
2. ABCDE	52. ABCDE	102. ABCDE	152. ABCDE
3. ABCDE	53. ABCDE	103. ABCDE	153. ABCDE
4. ABCDE	54. ABCDE	104. ABCDE	154. ABCDE
5. ABCDE	55. ABCDE	105. ABCDE	155. ABCDE
6. ABCDE	56. ABCDE	106. ABCDE	156. ABCDE
7. ABCDE	57. ABCDE	107. ABCDE	157. ABCDE
8. ABCDE	58. ABCDE	108. ABCDE	158. ABCDE
9. ABCDE	59. ABCDE	109. ABCDE	159. ABCDE
10. ABCDE	60. ABCDE	110. ABCDE	160. ABCDE
11. ABCDE	61. ABCDE	111. ABCDE	161. ABCDE
12. ABCDE	62. ABCDE	112. ABCDE	162. ABCDE
13. ABCDE	63. ABCDE	113. ABCDE	163. ABCDE
14. ABCDE	64. ABCDE	114. ABCDE	164. ABCDE
15. ABCDE	65. ABCDE	115. ABCDE	165. ABCDE
16. ABCDE	66. ABCDE	116. ABCDE	166. ABCDE
17. ABCDE	67. ABCDE	117. ABCDE	167. ABCDE
18. ABCDE	68. ABCDE	118. ABCDE	168. ABCDE
19. ABCDE	69. ABCDE	119. ABCDE	169. ABCDE
20. ABCDE	70. ABCDE	120. ABCDE	170. ABCDE
21. ABCDE	71. ABCDE	121. ABCDE	171. ABCDE
22. ABCDE	72. ABCDE	122. ABCDE	172. ABCDE
23. ABCDE	73. ABCDE	123. ABCDE	173. ABCDE
24. ABCDE	74. ABCDE	124. ABCDE	174. ABCDE
25. ABCDE	75. ABCDE	125. ABCDE	175. ABCDE
26. ABCDE	76. ABCDE	126. ABCDE	176. ABCDE
27. ABCDE	77. ABCDE	127. ABCDE	177. ABCDE
28. ABCDE	78. ABCDE	128. ABCDE	178. ABCDE
29. ABCDE	79. ABCDE	129. ABCDE	179. ABCDE
30. ABCDE	80. ABCDE	130. ABCDE	180. ABCDE
31. ABCDE	81. ABCDE	131. ABCDE	181. ABCDE
32. ABCDE	82. ABCDE	132. ABCDE	182. ABCDE
33. ABCDE	83. ABCDE	133. ABCDE	183. ABCDE
34. ABCDE	84. ABCDE	134. ABCDE	184. ABCDE
35. ABCDE	85. ABCDE	135. ABCDE	185. ABCDE
36. ABCDE	86. ABCDE	136. ABCDE	186. ABCDE
37. ABCDE	87. ABCDE	137. ABCDE	187. ABCDE
38. ABCDE	88. ABCDE	138. ABCDE	188. ABCDE
39. ABCDE	89. ABCDE	139. ABCDE	189. ABCDE
40. ABCDE	90. ABCDE	140. ABCDE	190. ABCDE
41. ABCDE	91. ABCDE	141. ABCDE	191. ABCDE
42. ABCDE	92. ABCDE	142. ABCDE	192. ABCDE
43. ABCDE	93. ABCDE	143. ABCDE	193. ABCDE
44. ABCDE	94. ABCDE	144. ABCDE	194. ABCDE
45. ABCDE	95. ABCDE	145. ABCDE	195. ABCDE
46. ABCDE	96. ABCDE	146. ABCDE	196. ABCDE
47. ABCDE	97. ABCDE	147. ABCDE	197. ABCDE
48. ABCDE	98. ABCDE	148. ABCDE	198. ABCDE
49. ABCDE	99. ABCDE	149. ABCDE	199. ABCDE
50. ABCDE	100. ABCDE	150. ABCDE	200. ABCDE

Please mail this with your final exam

Acupuncture Formula CEU Training Course

CUSTOMER SERVICE RESPONSE CARD

DATE: _____

NAME: _____

ADDRESS: _____

E-MAIL _____ PHONE _____

PLEASE COMPLETE THIS FORM BY CIRCLING THE NUMBER OF THE APPROPRIATE ANSWER IN THE AREA BELOW.

1. Please rate the difficulty of your course.

Very Easy 0 1 2 3 4 5 Very Difficult

2. Please rate the difficulty of the testing process.

Very Easy 0 1 2 3 4 5 Very Difficult

3. Please rate the subject matter on the exam to your actual field or work.

Very Similar 0 1 2 3 4 5 Very Different

4. How did you hear about this Course? _____

5. What would you do to improve the Course? _____

Any other concerns or comments.

Special Notice to Help the Less Fortunate



Kavi and the believers in his church prayed fervently and lifted up praise to God before digging the well.

We here in the U.S. have it very good. Here is a story of and drilling a well just to have drinking water in India.

Kavi Viresh was accustomed to rejection. A Gospel for Asia missionary, Kavi knew he was laboring in hard soil in his village in Andhra Pradesh, India and the spiritual drought experienced by its people was worse than the physical drought they suffered in the summers. The people of this village lived hard lives focused on daily survival, and most did not have faith in any god.

By God's grace, Kavi has seen a church planted there—and believers who are eager to help him with outreach. Still, the hearts of many in the village have remained hard. Kavi has suffered beatings several times for sharing the Good News of Jesus. One time, a group of 30 people came to his house to attack him. The Gospel tracts he handed out were torn into pieces on many occasions.

"People told me, 'Your God is a great God.'"

But Kavi knew the people weren't really rejecting *him*—they were rejecting *Jesus* who sent him. And he knew there just had to be some way to get through to these people whom Jesus loved so much. That way turned out to be a Jesus Well. Before the Jesus Well was dug in this village, the people's only source of water was one government-built water tank that was not nearly enough to meet their basic needs. Kavi knew the Jesus Well would be a tangible way to show the villagers that Jesus loved them.

Sudhir Rao, a new Christian in the village, gladly provided his services as a mason to help with construction. The digging of the Jesus Well was in itself a miracle. Others had attempted to dig a well in the village but not seen water even at depths of 300 feet. So when Kavi saw water at around 100 feet, villagers were amazed.

"People told me, 'Your God is a great God,'" Kavi recalls. Even the village leader expressed heartfelt appreciation to Kavi for providing his people with water—and that he desired to see another well dug in a nearby area. Although the well was just dug in recent months, Kavi has already seen God wash away barriers in the villagers' hearts through its refreshing waters. Hearts have been brought that much closer to being able to receive the message of hope in Christ. And he has a vision of faith for how God will continue to work. "Through this Jesus Well, surely those who have beaten me and are against me will come to know the Lord Jesus," Kavi shared.

For more information, we welcome you to visit...

Gospel for Asia

Phone:

Toll Free: 800-946-2742
972-300-7777

Address:

Gospel for Asia
1800 Golden Trail Ct.
Carrollton, TX 75010
USA

Information:

info@gfa.org

Web Related questions:

webservant@gfa.org

[Gospel for Asia Web Site](#)

